L Number	Hits		DB	Time stamp
1	62	bioptical same laser	USPAT;	2003/09/20 13:58
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
2	48	bioptical.clm. same laser.clm.	USPAT;	2003/09/20 13:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
3	43		USPAT;	2003/09/20 13:59
		folding.clm. and mirrors.clm. and	US-PGPUB;	
		bottom.clm.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	37	<u> </u>	USPAT;	2003/09/20 13:59
1		folding.clm. and mirrors.clm. and	US-PGPUB;	
		bottom.clm. and vertical.clm. and	EPO; JPO;	
		window.clm.	DERWENT;	
			IBM_TDB	
5	37		USPAT;	2003/09/20 13:59
		folding.clm. and mirrors.clm. and	US-PGPUB;	
Ì		bottom.clm. and vertical.clm. and	EPO; JPO;	
		window.clm. and degrees.clm.	DERWENT;	
			IBM TDB	
6	0	bioptical.clm. and laser.clm. and	USPĀT;	2003/09/20 13:59
ì		folding.clm. and mirrors.clm. and	US-PGPUB;	
1		bottom.clm. and vertical.clm. and	EPO; JPO;	
1		window.clm. and degrees.clm. and	DERWENT;	
		propagration.clm.	IBM TDB	
7	35		USPAT;	2003/09/20 14:18
}		folding.clm. and mirrors.clm. and	US-PGPUB;	}
1		bottom.clm. and vertical.clm. and	EPO; JPO;	1
		window.clm. and degrees.clm. and	DERWENT;	}
	1	exterior.clm.	IBM TDB	
8	2 '	and raperiormi came	USPAT;	2003/09/20 14:04
i	j	folding.clm. same mirrors.clm. same	US-PGPUB;	h
1		bottom.clm.	EPO; JPO;	l l
}	-		DERWENT;	
	}		IBM_TDB	
9	13	(bioptical.clm. and laser.clm. and	USPAT;	2003/09/20 14:18
}	ł	folding.clm. and mirrors.clm. and	US-PGPUB;	
	1	bottom.clm. and vertical.clm. and	EPO; JPO;	
		window.clm. and degrees.clm. and	DERWENT;	
		exterior.clm.) not metrologic.asn.	IBM_TDB	1